

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	3602	707/102.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/15 10:55
L2	14	707/102.ccls. and ((event\$1 or topic\$1) adj detection)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/15 10:55
S1	1224	(similarit\$3 with metric\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/10 09:29
S2	4	(similarit\$3 with metric\$1) and (metric with subtract\$3 with divi\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/09 11:27
S3	2	(similarit\$3 with metric\$1) and (metric with subtract\$3 with divi\$4) and probabilit\$3 and Euclidean	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/10 10:48
S4	117328	(stor\$3 with characteristic\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/09 11:28
S5	3518	(stor\$3 with characteristic\$1) and "707"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/09 11:28
S6	150	(stor\$3 with characteristic\$1) and "707" and corpus\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/09 11:28

S7	1	((story or stories) with characteristic\$1) and "707" and corpus\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/09 11:28
S8	8	("6185592").URPN.	USPAT	OR	OFF	2006/02/09 11:31
S9	2	("6185592").URPN. and (story or stories)	USPAT	OR	OFF	2006/02/09 11:33
S10	0	("6185592").URPN. and (Euclidean)	USPAT	OR	OFF	2006/02/09 11:33
S11	2	((frequenc\$3 with inverse\$1) or "frequency-inverse") with (story or stories) with frequenc\$3 with model\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/09 11:35
S12	3	((("6131089") or ("6192360") or ("6411962"))).PN.	USPAT; USOCR	OR	OFF	2006/02/13 14:41
S13	2	S12 and frequenc\$3	USPAT	OR	OFF	2006/02/10 09:33
S14	2	S12 and (frequenc\$3 or metric\$1)	USPAT	OR	OFF	2006/02/10 09:34
S15	1	S12 and (frequenc\$3 or metric\$1) and (Euclidean or Hellinger or Tanimoto or (KL adj divergence))	USPAT	OR	OFF	2006/02/10 09:50
S16	1	((story or stories) with frequenc\$3 with model\$1)	USPAT	OR	OFF	2006/02/10 09:51
S17	3	((story or stories) with frequenc\$3 with model\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/10 09:56
S18	1	(event\$1 with detect\$3) and rmax and frequenc\$3 and (inverse with frequenc\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/10 09:57
S19	739	(event\$1 with detect\$3) and frequenc\$3 and (inverse with frequenc\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/10 09:57
S20	16	(event\$1 with detect\$3) and ((formula\$1 or equation\$1) with frequenc\$3) and ((equation\$1 or formula\$1) with inverse with frequenc\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/10 10:01

S21	1	(event\$1 with detect\$3) and ((formula\$1 or equation\$1) with event\$1 with frequenc\$3) and ((equation\$1 or formula\$1) with event\$1 with inverse with frequenc\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/10 09:59
S22	1	(event\$1 with detect\$3) and ((formula\$1 or equation\$1) with event\$1 with frequenc\$3) and ((equation\$1 or formula\$1) with inverse with frequenc\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/10 09:59
S23	111	(event\$1 with detect\$3) and ((formula\$1 or equation\$1 or function\$1) with frequenc\$3) and ((equation\$1 or formula\$1 or function\$1) with inverse with frequenc\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/10 10:01
S24	2	(event\$1 with detect\$3) and ((formula\$1 or equation\$1 or function\$1) with event\$1 with frequenc\$3) and ((equation\$1 or formula\$1 or function\$1) with event\$1 with inverse with frequenc\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/10 10:02
S25	3	S12 and vector\$1	USPAT	OR	OFF	2006/02/10 10:15
S26	0	((event\$1 or document\$1) with frenquenc\$3)	USPAT	OR	OFF	2006/02/13 13:13
S27	1	((event\$1 or document\$1) with frenquenc\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 13:13
S28	30112	((event\$1 or document\$1) with frequenc\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 13:14
S29	158	((event\$1 or document\$1) with frequenc\$3) and (similarit\$3 with metric\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 13:14
S30	42	((event\$1 or document\$1) with frequenc\$3) and (similarit\$3 with metric\$1) and (Euclidean)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 13:15

S31	35	((event\$1 or document\$1) with frequenc\$3) and (similarit\$3 with metric\$1) and (Euclidean) and probabilit\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 13:15
S32	3	((event\$1 or document\$1) with frequenc\$3) and (similarit\$3 with metric\$1) and (Euclidean same cosine\$2) and probabilit\$3 and (Hellinger or Tanimoto or (KL adj divergence) or (clarity with distance\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 13:19
S33	21	((event\$1 or document\$1) with frequenc\$3) and (similarit\$3 with metric\$1) and (Euclidean same cosine\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 13:19
S34	2	((event\$1) with frequenc\$3) and (similarit\$3 with metric\$1) and (Euclidean with (cosine\$2 with distance\$1) or "cosine-distance")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 13:20
S35	37	(similarit\$3 with metric\$1) and (Euclidean with cosine\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 13:21
S36	15	(similarit\$3 with metric\$1) and (Euclidean with cosine\$2) and (compar\$3 with (document\$1 or event\$1 or file\$1 or stories or story))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 13:27
S37	2	(similarit\$3 with metric\$1) and (Euclidean with cosine\$2) and (compar\$3 with (document\$1 or event\$1 or file\$1 or stories or story)) and probabilit\$3 and (Hellinger or Tanimoto or (KL adj divergence) or (clarity adj distanc\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 13:23
S38	493	(inverse\$1 with (event\$1 or document\$1) with frequenc\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 13:28

S39	409	(inverse\$1 adj (event\$1 or document\$1) adj frequenc\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 13:28
S40	1	(inverse\$1 adj (event\$1) adj frequenc\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 13:29
S41	0	(inverse\$1 adj (event\$1 or document\$1) adj frequenc\$3) and "IDF(t)"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 14:27
S42	6379	(find\$3 or locat\$3 or determin\$3 or detect\$3) with new with (event\$1 or topic\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 14:29
S43	1898	((find\$3 or locat\$3 or determin\$3 or detect\$3) with new with (event\$1 or topic\$1)) and ("same" with (event\$1 or topic\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 14:31
S44	128	((find\$3 or locat\$3 or determin\$3 or detect\$3) with new with (event\$1 or topic\$1)) and ("same" with (event\$1 or topic\$1)) and ("same" with (language\$1 or author\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 14:32
S45	1	((find\$3 or locat\$3 or determin\$3 or detect\$3) with new with (event\$1 or topic\$1)) and ("same" with (event\$1 or topic\$1)) and ("same" with (language\$1 or author\$1)) and (similarity adj metric\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 14:32
S46	3	("inter-story" or (inter adj story)) adj similarity adj metric\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 14:43

S47	3	((("inter-story" or (inter adj story)) with similarity with metric\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 14:43
S48	4	((story or stories) with similarity with metric\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 14:45
S49	11	((story or stories or topic\$1) with similarity with metric\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 14:45
S50	5	((story or stories or topic\$1) with similarity with metric\$1) and corpus	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 14:52
S51	3036	(cluster\$3 with (topic\$1 or event\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 14:53
S52	83	(cluster\$3 with (topic\$1 or event\$1)) and (database\$1 or corpus\$2) and Euclidean	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 14:54
S53	4	(detect\$3 with new with (event\$1 or topic\$1)) and (cluster\$3 with (topic\$1 or event\$1)) and (database\$1 or corpus\$2) and Euclidean	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 14:58
S54	1	(detect\$3 with new with (event\$1 or topic\$1)) and (cluster\$3 with (topic\$1 or event\$1)) and (database\$1 or corpus\$2) and Euclidean and (similarit\$3 with metric\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 14:56

S55	1	(detect\$3 with new with (event\$1 or topic\$1)) and (cluster\$3 with (topic\$1 or event\$1)) and (database\$1 or corpus\$2) and (similarity adj metric\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/13 14:58
-----	---	---	---	----	-----	------------------